g-Kyu CHOI

Serial No: 09/469,307

Filed: 12/29/1999

plication of

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2161

Confirmation No.: 4821

Examiner: Wayne P. Amsbury

Customer No.: 34610

For:

DATABASE SYNCHRONIZATION APPARATUS IN ELEMENT MANAGEMENT SYSTEM AND METHOD

THEREFOR

U.S. Patent and Trademark Office Customer Window, Mail Stop Amendment Randolph Building 401 Dulany Street Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

No additional fee is required.

Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	25	20	5	x \$50.00 =	\$250.00
Independent Claims	3	3	0	x \$200.00=	\$0.00
		If multiple claims newly presented, add \$360.00			\$0.00
×		Fee for extension of time			\$0.00
		TOTAL FEE DUE			\$250.00

F s	Please charge my Deposit Account No. submitted herewith.	<u>16-0607</u> in the amount of \$	An additional copy of this	transmittal sheet is
-----	--	------------------------------------	----------------------------	----------------------

A check in the amount of \$250.00 (Check #14728) is attached.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

> Respectfully submitted, FLESHNER & KIM, LLP


Registration No. 36,186

David C. Oren

Registration No. 38,694

P.O. Box 221200 Chantilly, VA 20153-1200 (703) 766-3701 DYK:DCO/kah Date: March 3, 2005

<u>PATENT</u>



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 4821

Joong-Kyu CHOI

Group Art Unit: 2161

Serial No.: 09/469,307

Examiner: Wayne P. Amsbury

Filed: December 29, 1999

Customer No.: 34610

For: DATABASE SYNCHRONIZATION APPARATUS IN ELEMENT

MANAGEMENT SYSTEM AND METHOD THEREFOR

AMENDMENT

U.S. Patent and Trademark Office Customer Window, Mail Stop Amendment Randolph Building 401 Dulany Street Alexandria, Virginia 22314

Sir:

In response to the Office Action mailed December 6, 2004, please amend the aboveidentified application as follows:

Amendments to the Specification are provided in this paper.

Amendments to the Claims are reflected in the listing of claims.

Remarks begin after the listing of claims.

03/04/2005 SDENBOB1 00000051 09469307

01 FC:1202

250.00 OP